EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040114600".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:16
L2	2	"20040208179".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:17
L3	2	"20020105958".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:18
L4	1	EP with "1215860"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:20
L5	1	2002-540292.NRAN.	DERWENT	OR	ON	2009/09/28 12:20
L6	2	"5581551".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:41
L7	2	"6430184".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L8	39	(packetization adj (module or unit or unit)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43

L9	29	((packetization adj (module or unit or unit)) same (signal or message)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L10	1819	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L11	489	(signal or indication or message or instruction) with ((ready or awaiting) adj3 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L12	322	(signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L13	39	(signal or indication or message or instruction) with ((ready or awaiting) adj (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L14	283	(signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") not L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L15	4	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with partial) and (@rlad<"20001212" or @ad<"20001212") not L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L16	18	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell)) and (transmit$6 with partial with ((packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43

L17	902	(((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L18	27	(((transmit$6 or transfer$4 or cop$4) adj2 partial adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L19	8	(((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell)) same schedul$5) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L20	21	(((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell or frame)) same timing) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L21	18	(((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell or frame)) same interrupt$3) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L22	121	(((transmit$6 or transfer$4 or cop$4) with (packet or cell or frame)) with timer with interrupt$3) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L23	11	(((transmit$6 or transfer$4 or cop$4) with (packet or cell or frame)) with timer with interrupt$3 with (processor or controller) with (buffer or fifo or queue)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L24	735	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with receiv $5) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43

L25	719	(signal or indication or message) with ((ready or awaiting) with (packet or cell) with receiv$5) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L26	31	((signal or indication or message) with ((ready or awaiting) with (packet or cell) with receiv$5) same interval) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L27	4	(receive with ready with regular with interval) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L28	449	(receive with ready with period$5) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L29	17	((send$4 or transmit$5 or indicat$5) with message with receive with ready with period$5) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L30	7	advantage with transmitting with partial with (frame or cell or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L31	704	(parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43
L32	9	(advantage with parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/28 12:43

9/28/2009 12:46:36 PM
C:\ Documents and Settings\ sahmed\ My Documents\ EAST\ Workspaces\ 10716462-Dec-23-2008-Chu_case.wsp